

000286. Easter Bunny Headband




Material


Rhinestone Starter Kit (CARSKIT1)
 Paper/Cardstock (for patterns) – 1 kind
 Fabric (fur) – 1 kind
 Fabric (satin) – 1 kind
 Hot fix rhinestones (SS10, clear) – 192
 Ribbon (15 mm (0.6") wide) – 30 cm (11.8") long
 Cotton batting
 Headband
 Hair elastic (approx. 15 cm (5.9")) – 2
 Colored wire (2 mm (0.08") thick) – Approx. 1 m (39.4")
 Sewing machine thread
 Sewing needle
 Sewing machine
 Iron
 Press cloth
 Sewing scissors
 Oil-based pen
 Erasable pen
 Awl (or pin)
 Craft adhesive
 Ruler
 Wire cutters

(1) Cut out parts A to make patterns.


A-1




A-2




(2) Attach the template sheet (included with the Rhinestone Starter Kit) to the standard mat, and then cut out B. (For details on specifying settings, refer to the instructions included with the kit.)




(3) Attach the template sheet prepared in step (2) to the backing board included with the kit, and then arrange rhinestones in the holes in the sheet. Place the transfer sheet on top to transfer the rhinestones, and then mark the transfer sheet with the oil-based pen, as shown below. Make two of these.




(4) Place the pattern (A-1) on the back of the fur, and then trace it twice with the erasable pen.




(5) Cut the fabric, leaving a 1 cm (0.4") seam allowance from the pattern outline.




(6) Place the pattern (A-2) on the back of the satin fabric, trace it with the erasable pen, and then flip over the pattern and trace it again, as shown below.




(7) Cut the fabric, leaving a 1 cm (0.4") seam allowance from the pattern outline.




(8) Stack the pieces prepared in step (5) with their right sides together, and then stitch along the bottom edge.




(9) Stack the piece prepared in step (7) and the piece prepared in step (8) with their right sides together, and then sew along the outline, leaving an opening to turn right side out.




(10) Cut slits in the seam allowance, and then turn right side out through the opening. Use the awl to pull out any hairs caught in the seam.




(11) Align the marks on the transfer sheet (prepared in step (3)) with the satin fabric (prepared in step (10)). Place the press cloth on top, and then iron on the rhinestones. (For details on attaching, refer to the instructions included with the kit.)




(12) Insert the wire and cotton batting through the opening. Reshape, and then sew the opening closed.




(13) Center the piece assembled in step (12) with the top of the headband, and then wrap wire around them to secure them.



(14) Cut two pieces of fur, and then sew running stitches around the edge. Place some cotton batting at the center, and then pull the threads to make a ball.



(15) Sew a hair elastic to the back of the piece assembled in step (14). Pass one over each ear in the piece assembled in step (13) to cover the base.



(16) Tie the ribbon into a bow, and then glue it on with adhesive at the location shown below.

